

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/614,782	07/09/2003	Hugh H. Trout III	23660-00654	8569
25243	7590 01/27/2006		EXAM	INER
	HANNON SCOTT, P	EREZO, DARWIN P		
3050 K STREET, NW SUITE 400			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20007			3731	
			DATE MAILED: 01/27/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action					
Before	the	Filing	of an	Appeal	Brief

Application No.	Applicant(s)			
10/614,782	TROUT, HUGH H.			
Examiner	Art Unit			
Darwin P. Erezo	3731			

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --THE REPLY FILED 02 September 2005 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. 1. X The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods: a) The period for reply expires 4 months from the mailing date of the final rejection. b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). NOTICE OF APPEAL 2. The Notice of Appeal was filed on A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a). **AMENDMENTS** 3. The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because (a) They raise new issues that would require further consideration and/or search (see NOTE below); (b) They raise the issue of new matter (see NOTE below); (c) They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or (d) They present additional claims without canceling a corresponding number of finally rejected claims. NOTE: See Continuation Sheet. (See 37 CFR 1.116 and 41.33(a)). 4. The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324). 5. Applicant's reply has overcome the following rejection(s): 6. Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). 7. X For purposes of appeal, the proposed amendment(s): a) X will not be entered, or b) . will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to: Claim(s) rejected: 1,3-8,10-13 and 15-19. Claim(s) withdrawn from consideration: AFFIDAVIT OR OTHER EVIDENCE 8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e). 9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1). 10. 🗌 The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached. REQUEST FOR RECONSIDERATION/OTHER 11. X The request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet. 12. Note the attached Information Disclosure Statement(s). (PTO/SB/08 or PTO-1449) Paper No(s). 13. 🔲 Other: ___

U.S. Patent and Trademark Office

Continuation of 3. NOTE: The proposed amendments to claims 1 and 19 recite the limitation of "a sealant material associated with at least a portion of the fastener" which changes the scope of the claimed invention and would require further consideration. The additional amendment to claim 1 of "the inner catheter adapted to bend within the catheter" would also require further consideration and an updated search

Continuation of 11. does NOT place the application in condition for allowance because: The arguments regarding independent claims 8 and 13 are not persuasive because Frazier teaches an outer catheter (52) and an inner catheter (any of anchor support 70, 72 or even 56). As seen in Fig. 3A, the outer catheter (52) is shown having an angular configuration, therefore, the catheter within the outer catheter also has the angular configuration. With regards to the limitation of "a sealant material associated with a portion of the faster", it is noted that any structural element formed from any material that is capable of sealing reads over the cited limitation. Therefore, the material used to form the anchors of Frazier is capable of sealing a small aperture or opening. With regards to the method claim, it should be noted that the applicant does not specify what type of prosthetic graft is used in the method claim and that the suture taught by Whayne is viewed as a "prosthetic graft".

ANHTUANT. NGUYEN
SUPERVISORY PATENT EXAMINER